

1-10-2010

Transvaginal ultrasound imaging for assessment of early pregnancy.

Eric Scott Sills

Royal College of Surgeons in Ireland, escottsills@yahoo.com

David J. Walsh

Royal College of Surgeons in Ireland

Anthony PH Walsh

Royal College of Surgeons in Ireland

Citation

Sills ES, Walsh DJ, Walsh AP. Transvaginal ultrasound imaging for assessment of early pregnancy. *Irish Medical Journal*. 2010;103(9):283-4.

This Article is brought to you for free and open access by the Department of Obstetrics and Gynaecology at e-publications@RCSI. It has been accepted for inclusion in Obstetrics and Gynaecology Articles by an authorized administrator of e-publications@RCSI. For more information, please contact epubs@rcsi.ie.

— Use Licence —

Attribution-Non-Commercial-ShareAlike 1.0

You are free:

- to copy, distribute, display, and perform the work.
- to make derivative works.

Under the following conditions:

- Attribution — You must give the original author credit.
- Non-Commercial — You may not use this work for commercial purposes.
- Share Alike — If you alter, transform, or build upon this work, you may distribute the resulting work only under a licence identical to this one.

For any reuse or distribution, you must make clear to others the licence terms of this work. Any of these conditions can be waived if you get permission from the author.

Your fair use and other rights are in no way affected by the above.

This work is licenced under the Creative Commons Attribution-Non-Commercial-ShareAlike License. To view a copy of this licence, visit:

URL (human-readable summary):

- <http://creativecommons.org/licenses/by-nc-sa/1.0/>

URL (legal code):

- <http://creativecommons.org/worldwide/uk/translated-license>
-

Transvaginal Ultrasound Imaging for Assessment of Early Pregnancy

Sir

Public concerns regarding the misdiagnosis of miscarriage ¹ have identified a serious weakness in the provision of quality care to women in early pregnancy. The implementation of a clinical initiative to standardise care during early pregnancy ² is a welcome response to these tragic outcomes. While all imaging modalities have technical limitations, the current controversy over the erroneous diagnosis of miscarriage highlights the fact that standards of ultrasound training need improvement ³. Abdominal "external" ultrasonography can be sensitive for diagnosing presence or absence of a gestational sac, but compared to transvaginal "internal" sonography, it is less sensitive at detecting a fetal pole. But a transvaginal sonogram can still render an incorrect diagnosis of miscarriage, if faulty equipment is used.

Specialist units offering IVF and other advanced reproductive treatments throughout Ireland evaluate early pregnancy with transvaginal sonography every day (Figure 1). Proper use of transvaginal sonography to document embryonic heart rate is a highly accurate method to confirm early pregnancy viability ⁴. We encourage the HSE and the Department of Health & Children to incorporate supplementary training in this key imaging modality, and to ensure that all obstetrics facilities in Ireland have the funding necessary to maintain the equipment required to offer this important service.

ES Sills, DJ Walsh, APH Walsh
RCSI Department of Obstetrics & Gynaecology/Sims IVF, Dundrum, Dublin 14
Email: drscottsills@sims.ie

References

1. Donnellan E. Scan fears may swamp hospital maternity units. The Irish Times [newspaper], 11th June 2010:A1.
2. Health Service Executive. HSE outlines actions in response to early pregnancy misdiagnosis (statement). Health Service Executive Press Office:1-3.
3. Lohr PA, Reeves MF, Creinin MD. A comparison of transabdominal and transvaginal ultrasonography for determination of gestational age and clinical outcomes in women undergoing early medical abortion. Contraception 2010;81:240-4.
4. Rauch ER, Schattman GL, Christos PJ, Chicketano T, Rosenwaks Z. Embryonic heart rate as a predictor of first-trimester pregnancy loss in infertility patients after in vitro fertilization. Fertil Steril 2009;91:2451-4.